

№	Belgilanishi	Nomlanishi	Soni ta	Vazni	Izoh
	To'sincha (перемычка) Ts-1		5		46,95 kg
1	ГОСТ 5781-82*	Ø12 АIII L=1400 mm.	5	1,243	6,22
2	detallar ro'yhatiga qarang	Ø6 AI L=1300 mm.	11	0,289	3,17
		Beton B15 (M200)			0,67 m3
	To'sincha (перемычка) Ts-2		10		110,2 kg
1	ГОСТ 5781-82*	Ø12 АIII L=1700 mm.	5	1,51	7,55
2	detallar ro'yhatiga qarang	Ø6 AI L=1300 mm.	12	0,289	3,47
		Beton B15 (M200)			1,63 m3
	To'sincha (перемычка) Ts-3		1		13,22 kg
1	ГОСТ 5781-82*	Ø12 АIII L=2000 mm.	5	1,776	8,88
2	detallar ro'yhatiga qarang	Ø6 AI L=1300 mm.	15	0,289	4,34
		Beton B15 (M200)			0,19 m3
	To'sincha (перемычка) Ts-4		1		10,6 kg
3	ГОСТ 8509-86	L 63x5 L=1000 mm.	2	4,81	9,62
4		-5x50 L=100 mm.	5	0,196	0,98
	To'sincha (перемычка) Ts-5		2		18,5 kg
3	ГОСТ 8509-86	L 63x5 L=800 mm.	2	3,848	7,7
5		L 63x5 L=100 mm.	2	0,481	0,96
4		-5x50 L=100 mm.	3	0,196	0,59
	To'sincha (перемычка) Ts-6		6		61,26 kg
3	ГОСТ 8509-86	L 63x5 L=900 mm.	2	4,33	8,66
5		L 63x5 L=100 mm.	2	0,481	0,96
4		-5x50 L=100 mm.	3	0,196	0,59
	To'sincha (перемычка) Ts-7		1		11,36 kg
3	ГОСТ 8509-86	L 63x5 L=1000 mm.	2	4,81	9,62
5		L 63x5 L=100 mm.	2	0,481	0,96
4		-5x50 L=100 mm.	4	0,196	0,78
	Devor uchun setka (кладочная сетка) S-1 (p.m)		290		156,6 kg
6	ГОСТ 5781-82*	Ø4BpI L=1000 mm.	4	0,1	0,4
7	ГОСТ 5781-82*	Ø4BpI L=350 mm.	4	0,035	0,14

Ts-4	540
Ts-5	820
Ts-6	920
Ts-7	1020

Belgisi	Eskiz
2	

1. "Monolit temir-beton yuk ko'taruvchi konstruksiyalar B20 (M250) sinfli beton va A400C sinfli armaturadan bajarilsin. Alohida elementlar uchun beton sinfi tegishli chizmalarda ko'rsatilgan."

										AS	
						Guliston tumani «Sharq haqiqati» oilaviy shifokorlik punktini rekonstruksiya qilish (mavjud 50 qatnovli binoni 1-tip OPga molashtirish)					
O'zg.	Var.	Xuj.№	Imzo	Sana		OP		Boshqich	Varaq	Varaqlar	
									8	24	
LBM		Eshmurodov A.				To'sincha (перемычка) lar		"INNOVATSION UMUMIY LOYİHA" OOO г.Гулистан 2026 г.			
Bajardi		Bobojonov G.									